

NAVAL STATION NORFOLK & NSA HAMPTON ROADS, HEADQUARTERS COMPLEX NORFOLK, VIRGINIA 2015 CONSUMER CONFIDENCE REPORT



Inside this issue:

NSN/NSA Source Water

Definitions and Abbreviations 2

2015 Sampling Results
Table 3

For additional information:

City of Norfolk Division of Water Quality 757-441-5678 http://www.norfolk.gov/utili ties/quality/default.asp

Virginia Department of Health 757-683-2000 http://www.vdh.state.va.us/ drinkingwater/

USEPA Safe Drinking Water Hotline 800-426-4791 http://www.epa.gov/safewa ter/

NAVFAC Mid-Atlantic Environmental 757-341-0482

The source of NSN/NSA's drinking water includes eight reservoirs, two rivers, and four deep wells.



Naval Station Norfolk and Naval Support Activity Hampton Roads, Headquarters Complex (NSN & NSA HR HQ Complex) are committed to providing you drinking water that is safe and reliable. NSN & NSA HR HQ Complex believe that providing you with accurate information about your water is the best way to assure that your water is safe. There were no drinking water violations to report for 2015.

Each year, the Consumer Confidence Report (CCR) is required to be distributed by July 1st of the current year. This CCR is a snapshot of the quality of your drinking water in 2015. The purpose of this annual report is to advise consumers of where their water comes from, provide water quality data, advance greater understanding of drinking water, and heighten awareness to conserve water resources.

NSN & NSA HQ COMPLEX SOURCE WATER

NSN & NSA HR HQ Complex purchase drinking water from the City of Norfolk. Norfolk's primary water supply comes from eight reservoirs located in Norfolk as well as Suffolk/Isle of Wight County. Additionally water sources include the Blackwater, and Nottoway Rivers and four deep wells located in Suffolk. From the reservoirs, water is pumped through pipes to the 37th Street Treatment Plant which is located in Norfolk. Water treatment chemicals are added to the water, causing small solid particles to clump together and sink to the bottom of a settling basin. The water is then filtered to remove bacteria, algae, and other impurities. Finally, the water is disinfected with chloramines to kill any remaining bacteria. The 37th Street Water Treatment Plant provides state of the art treatment technology and surpasses all state and federal water quality standards and regulations. In addition to the over 230 substances that are tested at the 37th Street Treatment Plant, Naval Station staff routinely monitors for bacteriological pathogens, disinfection byproducts, lead, and copper in order to meet federal and state regulations and to ensure the highest water quality possible.

ABOUT DRINKING WATER

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Substances (referred to as contaminants) in source water may come from septic systems, discharges from domestic or industrial wastewater treatment facilities, agricultural and farming activities, urban storm water runoff, residential uses, and many other types of activities. Water from surface sources is treated while groundwater may or may not receive any treatment.

Contaminants that may be present in source water include:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic contaminants, such as salts and metals, which may be naturally occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and may come from gas stations, urban storm water runoff, and septic systems.

Radioactive contaminants, which may be naturally occurring, or the result of oil and gas production and mining activities.

In addition to these contaminants, all lakes and streams contain algae, which are

ABOUT DRINKING WATER (continued)

All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791).

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) establishes limits for contaminants in bottled water, which must provide the same protection for public health.



Who needs to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune systems disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the EPA's Safe Drinking Water Hotline (800-426-4791).

Kidney dialysis patients should consult with their health care providers or dialysis centers in order to take special precautions when using chloraminated water. Fish owners should be sure chloramines are removed from the water before it is used in aquariums or ponds. Many pet stores sell water conditioners for chloraminated water.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. The primary source of Lead in drinking water is materials and components associated with service lines and home plumbing. NSN & NSA HR HQ Complex are responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components in buildings. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes or until it becomes cold or reaches a steady temperature before using water for drinking or cooking. If you have questions about your water, please contact NAVFAC Mid-Atlantic Environmental at 757-341-0482. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

DEFINITIONS AND ABBREVIATIONS

Contaminants in your drinking water are routinely monitored according to Federal and State regulations. The table on the following pages shows the results of monitoring for 2015. In the tables and elsewhere in this report you may find many terms and abbreviations which you are not familiar. The following definitions are provided to help you better understand these terms:

- Action Level (AL) The concentration of a contaminant that, if exceeded, triggers treatment or other requirements which a water system must follow. For lead and copper monitoring, compliance is based on the 90th percentile value.
- Maximum Contaminant Level (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as
 close to MCLGs as feasible using the best available treatment technology.
- Maximum Contaminant Level Goal (MCLG) The level of a contaminant in drinking water below which there is no known or
 expected risk to health. MCLGs allow for a margin of safety.
- Maximum Residual Disinfectant Level (MRDL) The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants. For chlorine and chloramines, a waterworks is in compliance with the MRDL when the running annual average of monthly averages of samples taken in the distribution system, computed quarterly, is less than or equal to the MRDL.
- Maximum Residual Disinfectant Level Goal (MRDLG) The level of a drinking water disinfectant below which there is no known
 or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.
- Nephelometric Turbidity Unit (NTU) A measure of the clarity, or cloudiness, of water. Turbidity in excess of 5 NTU is just
 noticeable to the average person. Turbidity is monitored because it is a good indicator of the effectiveness of our filtration
 system.
- Non-detection (ND) Laboratory analysis indicates that the contaminant is not present.
- Picocuries per liter (pCi/L) A measure of the radioactivity in water.
- Parts per million (ppm) or Milligrams per liter (mg/L) A measurement of the amount of contaminant per unit of water. A part
 per million is c one cent in \$10,000 or one minute in two years.
- Parts per billion (ppb) or Micrograms per liter (ug/L) A measurement of the amount of contaminant per unit of water. A part per billion is like one cent in \$10,000,000 or one minute in 2,000 years.
- Secondary Maximum Contaminant Level (SMCL) Non-enforceable standard that is established for aesthetic considerations
- Treatment Technique (TT) A required process intended to reduce the level of a contaminant in drinking water.
- NA Not applicable

WATER QUALITY DATA

The tables below list only those contaminants that were present in your drinking water at levels detectable by laboratory equipment. Unless otherwise noted, the data presented in these tables is from testing done in 2015. We are required to monitor for certain contaminants less than once per year because the concentrations of these contaminants are less likely to change. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. The EPA sets the Maximum Contaminant Levels (MCLs) and the Maximum Contaminant Level Goals (MCLGs) as listed in the tables. The Regulated Substances Table and the Unregulated Substances Table are provided for your information and as required by the Consumer Confidence Rule.

2015 WATER QUALITY TABLE

Regulated Substances	Unit	MCLG	MCL	Highest Level	Average Level	Range	Meets EPA Standards	Possible Source of Contamination
Barium	ppm	2	2	0.04	0.03	0.03 - 0.04	Yes	Erosion of natural deposits
Dalapon	ppb	200	200	1	ND	ND - 1	Yes	Field herbicide runoff field herbicide runoff
Fluoride	ppm	4	4	0.7	0.6	0.1-0.9	Yes	Added for the prevention of tooth decay
Gross Beta	pCi/L	0	50*	3	3	2-3	Yes	Erosion of natural deposits
Nitrate as Nitrogen	ppm	10	10	0.23	0.11	0.02 - 0.23	Yes	Erosion of natural deposits—runoff
Total Organic Carbon	ppm	n/a	TT	2.8 ¹	2.4	1.8 – 3.1	Yes	Occurs naturally in environment

^{*}EPA considers 50 pCi/L to be the level of concern for Beta particles.

Lead and Copper Monitoring	Unit	MCLG	AL	Highest Level	Average Level	Range	Meets EPA Standards	Possible Source of Contamination
Lead (2013 Data)	ppb	0	15	12	90 th Percentile = 4	ND - 12	Yes	Corrosion of household plumbing systems; Erosion of natural deposits
Copper (2013 Data)	ppm	1.3	1.3	0.716	90 th percentile = 0.178	0.030 – 0.716	Yes	Corrosion of galvanized pipes; Erosion of natural deposits
Microbiological Contaminants	Unit	MCLG	MCL	Highest Level	Average Level	Range	Meets EPA Standards	Possible Source of Contamination
Total Coliform	# of positive	0	More than 2 per	1	NA	NA	Yes	Naturally present in the

^{*} This number represents the highest number of positive coliform samples in a month. Routine monitoring in October of 2015 tested positive for Total Coliform. Extensive flushing was commenced to draw fresh water to the area and re-sampling results have since been negative for Total Coliform.

month

95% of the time

Collionni. Extensive hashing was confinenced to draw fresh water to the area and re-sampling results have since been negative for rotal collionni.								
Residual Disinfectants and Disinfection By Products	Unit	MCLG	MCL	Highest Level ²	Range (Individual Results)	Meets EPA Standards	Possible Source of Contamination	
Haloacetic Acids (HAA5)	ppb	NA	60	41	0-50	Yes	Drinking water disinfectant by-product	
Trihalomethanes (TTHM)	ppb	NA	80	62.2	36.5 - 96.7	Yes	Drinking water disinfectant by-product	
Total Chlorine Residual	ppm	4 ³	4 ⁴	2.6	0 – 5.6	Yes	Drinking water disinfectant	
Turbidity	Unit	MCLG	MCL	Highest Level	Lowest monthly percentage of samples meeting the limit	Meets EPA Standards	Possible Source of Contamination	
Turbidity**	NTU	NA	<1.0 maximum, and ≤0.3	0.26	100%	Yes	Soil Run-off	

^{**}Turbidity is a measure of the cloudiness of water. Turbidity, by itself, is not harmful, but it can interfere with the disinfection of drinking water.

¹This number is the highest monthly average of compliance samples for the calendar year.

²This number is the highest running annual average of quarterly compliance samples for the 2015 calendar year; for Total Chlorine Residual, the highest running annual average was determined by calculating quarterly values which were based on monthly compliance samples.

³MRDLG.

⁴MRDL.


Secondary and Unregulated Monitored	Unit	SMCL	Highest Level	Average Level	Range	Likely Source
Substances Aluminum	ppm	0.20	0.06	0.03	ND – 0.06	Erosion of natural deposits; also from use of chemicals at water treatment plant
Chloride	ppm	250	21	17	13 - 21	Natural in environment
Iron	ppm	0.30	0.08	0.05	ND - 0.08	Natural in environment
Manganese	ppm	0.05	0.03	ND	ND - 0.03	Natural in environment
pH (acidity)	pH units	6.5 – 8.5	7.7 ⁵	7.6	7.3 – 7.9	Adjusted during water treatment process
Nickel	ppm	NA	0.003	ND	ND - 0.003	Corrosion of plumbing materials
Sodium	ppm	NA ⁶	27	15	10 – 27	Natural in environment; also from use of chemicals at water treatment plant
Sulfate	ppm	250	34	29	22 – 34	Natural in environment; also from use of chemicals at water treatment plant
Total Dissolved Solids	ppm	500	106	99	89 - 106	Natural in environment
Zinc	ppm	5	0.20	0.12	0.02 - 0.20	Natural in environment; also from use of chemicals at water treatment plant

⁵ This number is the highest monthly average of compliance samples for the calendar year.

⁶ For physician-prescribed "no salt diets" a limit of 20 ppm is suggested.

Additional Information*	Unit	Average Level	Range
Alkalinity	ppm	26	17-35
Ammonia	ppm	0.1	ND-0.5
Hardness	ppm	43	26-61
Silica	ppm	6	3-8

^{*}The substances listed above are not regulated by the EPA; however, this information is provided as a service to our customers



Unregulated Contaminant Monitoring Rule 3 (UCMR3) *	Unit	Average Level	Range		
Chromium-6 (2013 Data)	ppb	0.02	0 – 0.07		
Strontium (2013 Data)	ppb	71	63 – 82		
Vanadium (2013 Data)	ppb	0.04	0 – 0.3		
Chlorate (2013 Data)	ppb	290	180 – 410		
*This monitoring provides a basis for future regulatory actions to protect public health.					

VIOLATIONS AND EXCEEDANCES

There were no drinking water violations to report for 2015.

QUESTIONS

Please contact NAVFAC Mid-Atlantic Environmental staff at 757-341-0482 if you have any questions regarding this report.

To access this report electronically, please visit the Commander, Navy Region Mid-Atlantic website at: http://www.cnic.navy.mil/regions/cnrma/om/environmental_support/water_quality_information.html